

Complete Listing of the Claims

1-85. (Canceled)

86. (Canceled)

87. (Previously Presented) A method of treating hepatitis C (HCV) in a subject in need of such treatment, comprising

administering a therapeutically effective amount of omega interferon protein to the subject, wherein (i) the omega interferon is administered at a controlled rate over time, and (ii) the therapeutically effective amount of omega interferon is an amount of omega interferon selected from the group consisting of between about 48 and about 194 micrograms per week, between about 23 and about 388 micrograms per week, and between about 23 and about 623 micrograms per week.

88. (Previously Presented) A method of treating hepatitis C (HCV) in a subject in need of such treatment, comprising

administering a therapeutically effective amount of omega interferon protein to the subject, wherein (i) the omega interferon is administered by injection, and (ii) the therapeutically effective amount of omega interferon is an amount of omega interferon selected from the group consisting of between about 1 and about 210 micrograms per week and between about 22.5 and about 360 micrograms per week.

89. (Canceled)

90. (Previously Presented) The method of claim 88, wherein the therapeutically effective amount of omega interferon is administered by one or more daily injections.

91. (Previously Presented) The method of claim 88, wherein the therapeutically effective amount of omega interferon is administered by one or more injections given at

selected dosing intervals.

92. (Previously Presented) The method of claim 91, wherein the dosing interval comprises three injections per week.

93. (Previously Presented) The method of claim 88, wherein the method of injection is selected from the group consisting of subcutaneous injection, intramuscular injection, and bolus intravenous injection.

94. (Previously Presented) The method of claim 93, wherein the omega interferon is administered by subcutaneous injection.

95. (Previously Presented) The method of claim 87, wherein the omega interferon is administered by infusion.

96. (Previously Presented) The method of claim 95, wherein the method of infusion is chronic intravascular infusion.

97. (Canceled)

98. (Previously Presented) The method of claim 87, wherein a device is used to administer the omega interferon.

99. (Previously Presented) The method of claim 98, wherein the device comprises a pump.

100. (Previously Presented) The method of claim 99, wherein the device is either implanted in or external to the subject.

101. (Previously Presented) The method of claim 100, wherein the device is

implanted.

102. (Previously Presented) The method of claim 101, wherein the device comprises an osmotic pump.

103. (Previously Presented) The method of claim 98, wherein two or more implantable devices are used to administer the omega interferon.

104. (Previously Presented) The method of claim 88, wherein the therapeutically effective amount of omega interferon is between about 1 and about 210 micrograms per week.

105. (Previously Presented) The method of claim 88, wherein the therapeutically effective amount of omega interferon is between about 22.5 and about 360 micrograms per week.

106. (Previously Presented) The method of claim 87, wherein the therapeutically effective amount of omega interferon is between about 23 and about 623 micrograms per week.

107. (Previously Presented) The method of claim 87, wherein the omega interferon is a recombinant omega interferon.

108. (Previously Presented) An implantable device for use in the method of claim 102, the device comprising
an osmotic pump, and
a reservoir comprising omega interferon.

109. (Previously Presented) A kit comprising two or more implantable devices for use in the method of claim 103, wherein the kit comprises at least a first device and a second

device, wherein the amount of omega interferon in the first device is less than the amount of omega interferon in the second device.

110. (Previously Presented) The kit of claim 109, wherein the first device comprises a fractional unit-dose of omega interferon and the second device comprises a unit-dose of omega interferon.

111. (Previously Presented) The kit of claim 110, wherein the kit comprises one or more of the first device and one or more of the second device.

112. (Previously Presented) A method of manufacturing the kit of claim 109, comprising
preparing a first device comprising a fractional unit-dose of omega interferon, and
preparing a second device comprises a unit-dose of omega interferon.

113. (Previously Presented) The method of manufacturing of claim 112, further comprising combining one or more first device with one or more second device in a kit.

114. (Previously Presented) A method of treating hepatitis C (HCV) in a subject in need of such treatment, comprising

administering a therapeutically effective amount of omega interferon protein to the subject, the administering selected from the group consisting of:

(i) at a controlled rate over time and the therapeutically effective amount of omega interferon is an amount of omega interferon selected from the group consisting of between about 48 and about 194 micrograms per week, between about 23 and about 388 micrograms per week, and between about 23 and about 623 micrograms per week, and

(ii) by injection and the therapeutically effective amount of omega interferon is an amount of omega interferon selected from the group consisting of between about 1 and about 210 micrograms per week and between about 22.5 and about 360 micrograms per week;

wherein the therapeutically effective amount of omega interferon protein is

administered over at least about one month.